

BUCKLE / SOLID BRASS

Item No.	Inside Wide	Length Overall	Tongue Dia(mm)	Weight Each in Lbs
----------	-------------	----------------	----------------	--------------------

Conway Buckle

545B-58	5/8"	1 3/4"	5	0.044
545B-34	3/4"	1 13/16"	5	0.056
545B-78	7/8"	2"	5.5	0.065
545B-1	1"	2 1/16"	5	0.065
545B-118	1 1/8"	2 3/16"	5.7	0.093
545B-112	1 1/2"			



545B

Conway Buckle

210B-12	1/2"	1 5/16"	4.5	0.017
210B-58	5/8"	1 7/16"	4.5	0.021
210B-34	3/4"	1 11/16"	5	0.028
210B-78	7/8"	1 7/8"	5	0.037
210B-1	1"	2 1/16"	5.5	0.052
210B-118	1 1/8"	2 5/16"	6.5	0.086
210B-114	1 1/4"	2 7/16"	5.7	0.072
210B-112	1 1/2"	2 9/16"	6.5	0.097
210B-2	2"	3 1/4"	6.5	0.185



210B

Buckle

12B-38	3/8"	7/8"	2.8	0.015
12B-12	1/2"	15/16"	2.8	0.02
12B-58	5/8"	1 3/16"	3.5	0.027
12B-34	3/4"	1 5/16"	3.5	0.033
12B-1	1"	1 9/16"	3.9	0.051
12B-118	1 1/8"	1 3/4"	4.5	0.067
12B-114	1 1/4"	1 7/8"	4.5	0.073
12B-112	1 1/2"	2 1/8"	5.0	0.105
12B-134	1 3/4"	2 9/16"	5.0	0.145



12B

Swedge Buckle w/SS Tongue

10B-34	3/4"	1 5/8"	3.8	0.055
10B-78	7/8"	1 11/16"	4.5	0.055
10B-1	1"	2 5/16"	4.5	0.115



10B

BUCKLE / SOLID BRASS

Item No.	Inside Wide	Length Overall	Tongue Dia(mm)	Weight Each in Lbs
----------	-------------	----------------	----------------	--------------------

Buckle w/SS Tongue

1012B-34	3/4"	1 5/8"	4.0	0.056
1012B-1	1"	2 1/16"	4.0	0.077
1012B-118	1 1/8"	2 5/16"	5.0	0.098
1012B-114	1 1/4"	2 3/4"	6.0	0.164
1012B-112	1 1/2"	3"	6.0	0.241

Buckle (Hand Polished)

5B-12	1/2"	1"	3.0	0.026
5B-58	5/8"	1 3/16"	3.8	0.033
5B-34	3/4"	1 3/8"	4.0	0.045
5B-1	1"	1 3/4"	4.5	0.074
5B-114	1 1/4"	1 7/8"	4.8	0.097
5B-112	1 1/2"	2 3/16"	5.0	0.116

Roller Buckle

49B-58	5/8"	1 3/16"	3.2	0.034
49B-34	3/4"	1 5/16"	3.5	0.054
49B-78	7/8"	1 3/8"	4.0	0.067
49B-1	1"	1 9/16"	4.0	0.073
49B-118	1 1/8"	1 11/16"	4.0	0.084
49B-114	1 1/4"	1 13/16"	4.0	0.098
49B-112	1 1/2"			0.121

Roller Buckle w/SS Tongue

49B-58-SST	5/8"	1 3/16"	3.2	0.034
49B-34-SST	3/4"	1 5/16"	3.5	0.054
49B-78-SST	7/8"	1 3/8"	4.0	0.067
49B-1-SST	1"	1 9/16"	4.0	0.073
49B-118-SST	1 1/8"	1 11/16"	4.0	0.084
49B-114-SST	1 1/4"	1 13/16"	4.0	0.098
49B-112-SST	1 1/2"			0.121

Roller Buckle

50B-12	1/2"	7/8"	3.5	0.023
50B-58	5/8"	1"	3.5	0.030
50B-34	3/4"	1 1/16"	3.8	0.032
50B-78	7/8"	1 1/8"	4.0	0.042
50B-1	1"	1 1/4"	4.2	0.061
50B-118	1 1/8"		4.5	0.066



1012B



5B



49B



49B-SST



50B

BUCKLE / SOLID BRASS

Item No.	Inside Wide	Length Overall	Tongue Dia(mm)	Weight Each in Lbs
50B-114	1 1/4"	1 3/8"	4.5	0.080
50B-112	1 1/2"	1 1/2"	5.0	0.095
50B-134	1 3/4"	1 5/8"	5.0	0.103
50B-2	2"	1 3/4"	5.0	

Buckle in Breast Collar Style w/SS Tongue

5775B-1	1"			
5775B-114	1 1/4"	3 9/16"	6.35	0.311
5775B-112	1 1/2"	4 1/16"	8.0	0.515

Halter Buckle

5705B-12-MINI	1/2"	1 3/16"	2.5	0.022
5705B-12	1/2"	1 9/16"	3.0	0.040
5705B-58	5/8"	1 13/16"	3.5	0.056
5705B-34	3/4"	1 15/16"	4.0	0.075
5705B-78	7/8"	2 1/16"	4.0	0.087
5705B-1	1"	2 1/8"	4.3	0.113
5705B-118	1 1/8"	2 1/4"	4.3	0.115
5705B-114	1 1/4"	2 1/2"	4.5	0.118
5705B-112	1 1/2"	2 11/16"	5.0	0.164
5705B-134	1 3/4"	3 1/2"	5.0	0.225

Buckle

121B-12	1/2"	1 5/16"	2.7	0.021
121B-58	5/8"	1 7/16"	3.1	0.022
121B-34	3/4"	1 11/16"	3.6	0.042
121B-78	7/8"	1 13/16"	3.6	0.057
121B-1	1"	2"	4.0	0.081
121B-114	1 1/4"	2 3/8"	4.5	0.104

Buckle

9481B-12	1/2"	1 3/32"	3.0	0.017
9481B-58	5/8"	1 3/8"	3.0	0.024
9481B-34	3/4"	1 11/16"	3.0	0.038

Roller Buckle

150B-12	1/2"	1 7/16"	3.0	0.034
150B-58	5/8"	1 5/8"	3.5	0.040
150B-34	3/4"	1 11/16"	3.4	0.045



50B



5775B



5705B



121B



9481B



150B

BUCKLE / SOLID BRASS

Item No.	Inside Wide	Length Overall	Tongue Dia(mm)	Weight Each in Lbs
150B-1	1"	2 5/16"	4.3	0.086
150B-118	1 1/8"	2 5/16"	4.5	0.101
150B-114	1 1/4"			
150B-112	1 1/2"	2 3/4"	4.5	0.156
150B-2	2"	3 1/2"	6.0	0.255

Halter Buckle

147B-58	5/8"			0.037
147B-34	3/4"	1 7/8"	3.0	0.053
147B-1	1"	2 1/4"	3.5	0.091
5706B-34	3/4"	2 5/16"	3.5	0.092
5706B-1	1"	2 5/8"	3.8	0.147
5706B-L-1	1"	2 1/2"	4.0	0.133
5706BS-34	3/4"	2 5/16"	3.5	0.087
5706BS-1	1"	2 3/4"	3.5	0.141
146B-34	3/4"	1 11/16"	3.0	0.042
146B-78	7/8"	2 1/8"	3.7	0.098
146B-1	1"	2 1/8"	3.7	0.102
146B-114	1 1/4"	2 5/8"	3.7	0.157

Halter 3-Slot Square

5383B-34	3/4"	1 15/16"		0.116
5383B-1	1"	2 1/4"		0.158
370BR-58	5/8"	1 1/2"		0.052
370BR-34	3/4"	1 3/4"		0.074
370BR-78	7/8"	2"		0.086
370BR-1	1"	2 1/8"		0.099
370B-58	5/8"			
370B-34	3/4"	1 13/16"		0.077
370B-1	1"	2 1/8"		0.120
370B-118	1 1/8"	2 3/8"		0.138
370BS-1	1"	1 3/4"		0.088

Halter Ring Square

369B-58	5/8"	1 11/16"		0.063
369B-34	3/4"	2 1/16"		0.100
369B-1	1"	2 1/8"		0.106

Harness Buckle

175B-12	1/2"	1"		0.011
---------	------	----	--	-------



150B



147B



5706B-L
(Light Duty)



5706B



5706BS



146B



5383B
(Heavy Duty)



370BR
(Round Type)



370B
(Flat Type)



370BS
(Small Type)



369B



175B

BUCKLE / SOLID BRASS

Item No.	Inside Wide	Length Overall	Tongue Dia(mm)	Weight Each in Lbs
----------	-------------	----------------	----------------	--------------------

Jumbo Shaft Loop Buckle

310B-114	1 1/4"	3 15/16"	6.0	0.306
----------	--------	----------	-----	-------

Stirrup Buckle

1180B-118	1 1/8"	1 13/16"	4.0	0.095
-----------	--------	----------	-----	-------

Girth Buckle

1280BR-1	1"	2 3/16"	4.0	0.102
----------	----	---------	-----	-------

Roller Buckle

1407B-114	1 1/4"	1 1/4"	3.5	0.050
-----------	--------	--------	-----	-------

40B-12	1/2"	1 1/16"	2.0	0.019
--------	------	---------	-----	-------

40B-58	5/8"	1 1/4"	2.8	0.025
--------	------	--------	-----	-------

40B-34	3/4"	1 3/8"	3.2	0.037
--------	------	--------	-----	-------

40B-1	1"	1 11/16"	3.8	0.069
-------	----	----------	-----	-------

1086B-134	1 3/4"	1 5/8"	6.3	0.165
-----------	--------	--------	-----	-------

English Girth Buckle

1135B-1	1"	1 1/2"	3.8	0.060
---------	----	--------	-----	-------

Harness Buckle

123B-12	1/2"	1 7/16"	3.0	0.022
---------	------	---------	-----	-------

123B-58	5/8"	1 5/8"	3.0	0.030
---------	------	--------	-----	-------

123B-34	3/4"	1 11/16"	3.5	0.037
---------	------	----------	-----	-------

Cart Buckle Hand Polished

132B-12	1/2"	1 15/16"	3.0	0.068
---------	------	----------	-----	-------

132B-58	5/8"	1 15/16"	3.3	0.073
---------	------	----------	-----	-------

132B-34	3/4"	2 1/4"	3.3	0.077
---------	------	--------	-----	-------

132B-1	1"	2 3/8"	3.4	0.088
--------	----	--------	-----	-------

132B-118	1 1/8"	2 3/8"	3.5	0.082
----------	--------	--------	-----	-------

Buckle Hand Polished

300B-12	1/2"	1 3/16"	2.8	0.014
---------	------	---------	-----	-------

300B-58	5/8"	1 5/16"	3.0	0.029
---------	------	---------	-----	-------

300B-34	3/4"	1 5/8"	3.5	0.043
---------	------	--------	-----	-------

300B-1	1"	2 1/8"	3.5	0.079
--------	----	--------	-----	-------

980B-114	1 1/4"	1 5/8"	3.8	0.062
----------	--------	--------	-----	-------

980B-112	1 1/2"	2 1/16"	4.0	0.074
----------	--------	---------	-----	-------

1550B-114-HP	1 1/4"	1 11/16"	4.5	0.070
--------------	--------	----------	-----	-------

1550B-112-HP	1 1/2"	1 15/16"	4.5	0.091
--------------	--------	----------	-----	-------




310B-114



1407B



1180B



1280BR



40B



1135B



123B



132B



300B



980B



1086B



1550B

BUCKLE / SOLID BRASS



5706SSB

Halter Buckle, Small Type
Solid Brass Self Color
Size: 1"
O.L. 2 5/16"



890B Solid Brass

890M Malleable Iron
Nickel Plated
Size : 5/8", 3/4", 7/8"



313B-114

Brass Buckle
3 3/16" Length Overall
Size : 1 1/4"



2501B-HP

Brass Buckle, Hand Polished
Tongue without Guard
Size : 1/2", 5/8", 3/4", 1"



302B-HP

Brass Buckle, Hand Polished
Tongue without Guard
Size : 1/2", 5/8", 3/4", 1"



146SB

Brass Buckle, Long Type
Size : 3/4", 1"
O.L. : 2", 2 3/8"



48B-HP

Brass Roller Buckle
Hand Polished
Size : 1", 1 1/4", 1 1/2"



1022B

Round Trace Buckle
Brass Buckle w/SS Tongue
Size : 1", 1 1/8", 1 1/4",
O.L : 2 3/4", 2 3/4", 2 11/16",
Size : 1 3/8", 1 1/2", 1 3/4"
O.L : 2 13/16", 2 3/4", 2 3/4"



1380B Solid Brass w/SS Tongue

Tillbury Buckle
Size : 5/8", 3/4", 1"
O.L : 2 1/2", 2 5/8", 3"



900B-HP

Brass Santa Buckle
Hand Polished
Size: 3", 3 1/2"



900B-4-HP

Brass Santa Buckle
w/Two Tongue, Hand Polished
Size: 4"



BHB-58-HP, 5/8"

BHB-34-HP, 3/4"

BHB-1-HP, 1"

Brass Horseshoe Buckle
w/SS Tongue, Hand Polished



BHT-112-HP, 1 1/2"

Brass Horseshoe Tug Buckle w/Loop,
w/6.4mm SS Tongue, Hand Polished



101B

Brass Buckle
w/SS Tongue
Size : 5/8", 3/4", 7/8", 1",
1 1/8", 1 1/4", 1 1/2"
O.L : 1 1/4", 1 5/16", 1 5/8", 1 13/16",
1 7/8", 2 3/16", 2 3/8"



BHRB-1-HP, 1"

BHRB-114-HP, 1 1/4"

BHRB-112-HP, 1 1/2"

Brass Horseshoe Roller Buckle
w/SS Tongue, Hand Polished

DEE & RING, SQUARE / SOLID BRASS

Item No.	Inside Wide	Inside High	Wire Dia(mm)	Weight Each in Lbs
----------	-------------	-------------	--------------	--------------------

Casted Square

356B-34-78	3/4" x 7/8"			0.030
------------	-------------	--	--	-------

356B-78-1	7/8" x 1"			
-----------	-----------	--	--	--

356B-78-112	7/8" x 1 1/2"			0.055
-------------	---------------	--	--	-------

356B-1-114	1" x 1 1/4"			
------------	-------------	--	--	--

356B-112-134	1 1/2" x 1 3/4"			0.146
--------------	-----------------	--	--	-------

356B-114-112	1 1/4" x 1 1/2"			0.109
--------------	-----------------	--	--	-------

1020B-1	1" X 1 1/4"			0.067
---------	-------------	--	--	-------

Breeching Dee

135B-114	1 1/4"	2"		0.073
----------	--------	----	--	-------

135B-112	1 1/2"	2 1/2"		0.128
----------	--------	--------	--	-------

135B-134	1 3/4"	3"		0.206
----------	--------	----	--	-------

Round Ring

7B-12	1/2"		3.0	0.006
-------	------	--	-----	-------

7B-58	5/8"		4.0	0.015
-------	------	--	-----	-------

7B-34	3/4"		4.0	0.018
-------	------	--	-----	-------

7B-78	7/8"		4.2	0.022
-------	------	--	-----	-------

7B-1	1"		4.5	0.029
------	----	--	-----	-------

7B-118	1 1/8"		4.7	0.038
--------	--------	--	-----	-------

7B-114	1 1/4"		5.2	0.047
--------	--------	--	-----	-------

4B-114	1 1/4"		5.5	0.052
--------	--------	--	-----	-------

3B-112	1 1/2"		6.0	0.065
--------	--------	--	-----	-------

3B-134	1 3/4"		6.2	0.101
--------	--------	--	-----	-------

3B-2	2"		7.0	0.132
------	----	--	-----	-------

2B-212	2 1/2"		7.0	0.166
--------	--------	--	-----	-------

OB-3	3"		8.0	0.241
------	----	--	-----	-------

Lightweight Dee

452B-12-30	1/2"	19/32"	3.0	0.008
------------	------	--------	-----	-------

452B-12-33	1/2"	1/2"	3.3	0.009
------------	------	------	-----	-------

452B-58-33	5/8"	9/16"	3.3	0.009
------------	------	-------	-----	-------



356B



1020B



135B



7B, 3B, 2B, OB



452B

DEE & LOOP / SOLID BRASS

Item No.	Inside Wide	Inside High	Wire Dia(mm)	Weight Each in Lbs
452B-58-40	5/8"	17/32"	4.0	0.014
452B-34	3/4"	23/32"	4.0	0.017
452B-78	7/8"	13/16"	4.0	0.021
452B-1-40	1"	15/16"	4.0-5.0	0.027
452B-1-50	1"	7/8"	5.0	0.040
452B-118	1 1/8"	31/32"	4.5	0.027
452B-114	1 1/4"	1 3/32"	5.5	0.048

Round Dee

3250B-34	3/4"	5/8"	4.5	0.021
3250B-1	1"	7/8"	5.0	0.039
3250B-112	1 1/2"		6.3	

Heavy Dee

325B-12	1/2"	7/16"	3.8	0.012
325B-58	5/8"	9/16"	4.0	0.016
325B-34	3/4"	5/8"	4.2	0.024
325B-78	7/8"			
325B-1	1"	7/8"	5.2	0.043
325B-118	1 1/8"	1"	5.2	0.050
325B-114	1 1/4"	1 3/32"	5.5	0.060
325B-112	1 1/2"	1 5/16"	6.0	0.094
325B-134	1 3/4"	1 9/32"	6.0	0.101
325B-2	2"	1 11/32"	6.5	0.138

Solid Loop & Ring

3611B-34-118	3/4" x 1 1/8"	5.0	0.049
3611B-34-114	3/4" x 1 1/4"	5.8	0.087
3611B-34-112	3/4" x 1 1/2"	5.8	0.093
3611B-1-138	1" x 1 3/8"	6.0	0.114
3611B-1-112	1" x 1 1/2"	6.0	0.128

Rope Clamp

26B-58	5/8"	0.050
26B-34	3/4"	0.105
26B-78	7/8"	0.106
26B-1	1"	0.126



452B



3250B



325B



3611B




26B

BUCKLE & SWIVEL / SOLID BRASS & STEEL



75B
Size: 1/2"



899B
Hand Polished and Lacquered
Size: 13/4"



178B
Size: 3/8", 1/2",
5/8", 3/4", 1"



181B
Size: 3/8" x 1",
3/8" x 3/4"




9482S
Halter Buckle
Sheet Steel
Size: 1"



9487S
Halter Buckle
Sheet Steel
Size: 3/4", 1"



9488S
Halter Buckle
Sheet Steel
Size: 1"



5387S
Halter Slide
Sheet Steel
Size: 1"



373S
3-Way, Halter Square,
Sheet Steel
Size: 3/4", 1"



363S
2-Way, Halter Square,
Sheet Steel
Size: 3/4", 1"



1020S
Halter Square
Size: 3/4", 1"