

SARGE



2-Speeds Clipper

Powerful Carbon Brush Motor with High-speed Torque Lightweight and Ergonomic Designed Handle. 2800 / 3500 Strokes Per Minute and 6 kgf-m Torque. Supports 40800 Power Bank.



40800 Power Bank



www.furzone.com.tw

SARGE

2-Speeds Clipper

2 speeds clipper equipped with snap-on detachable Japanese steel blades.
Strong carbon brush motor for heavy-duty use that runs 3,500 strokes per minute.
Top quality, quiet and cool running.
Great for body clipping and detail trimming.
Furzone® Snap On A-series Blade for Furzone SARGE Clipper,
Also fit any A5 Style clipper that take a snap on off blade system.
Wide version blades available for larger trimming area.



Snap On A5 Detachable Blade

Snap-on detachable for easy cleaning



Wide Blades

Ideal for equine & livestock use



2-Speed

H : 3,500 spm
L : 2,800 spm



Vac Attachment

Optional vac attachment eliminates messy hair clippings



EZ Replace Drive

Without aparing clipper to replace



DC Power Cable Sets

5M / 16' length when plugged together.
Supporting designed power bank.



DC Power Cable Designed for 40800 Power Bank

With DC out 12V/2A output for 9 hours operation time

A5 SNAP-ON BLADE

Included with Clipper



A1A12 #10 - 1.5 mm

SPECIFICATIONS

- Dimension : 175x48x45mm (LxWxH)
- Weight : 380g / 0.84lb
- Two-speed design
- Strokes per minute : H : 3,500 spm
L : 2,800 spm
- Motor : carbon brush motor
- Watt : 24W
- Torque : 6 kgf-m
- Power switch : 12V/2A
- Detachable high quality japanese steel blades
- Equipped blade : #10 (A1A12)
- Cord length : 5m / 16.4ft
- Voltage : 100-240V, 50-60HZ
- Break resistant housing
- Ergonomic designed body
- 1-Year limited motor warranty



KIT INCLUDES

- Clipper machine
- Blade NO. A1A12 #10-1.5mm cutting length
- Power adapter
- 100ml Blade oil
- Cleaning brush
- Soft carrying case



Optional Blades



ADA12 #50-0.2mm



AMA12 #40-0.25mm



A3A12 #30-0.5mm



A2A12 #15-1.0mm



A1A12 #10-1.5mm



ABA12 #9-2.0mm



AEA12 #8 1/2-2.8mm



AAA12 #7-3.2mm-Skip Teeth



A8A12 #7F-3.2mm-Full Teeth



BBA12 #6F-4.8mm-Full Teeth



A9A12 #5-6.4mm-Skip Teeth



A7A12 #5F-6.4mm-Full Teeth



ACA12 #4-9.6mm-Skip Teeth



A6A12 #4F-9.6mm-Full Teeth



ALA12 #3 3/4-13mm-Skip Teeth



AFA12 #3 3/4F-13mm-Full Teeth



AKA12 #5/8 NC-0.5mm



A1A23 #10-1.5mm

Titanium Coating
Outstanding corrosion resistance

Black Titanium Coating

Ceramic Cutter
Less heat up of blade

WIDE VERSION CUTTING BLADES



ATA12 #40W-0.25mm



AVA12 #30W-0.5mm



AUA12 #15W-1.0mm



ASA12 #10WF-1.5mm



A5A12 #10W-2.4mm



AQA12 #7FW-3.2mm-Full Teeth



AWA12 #7W-3.2mm-Skip Teeth



AXA12 #5W-6.4mm-Skip Teeth



APA12 #5FW-6.4mm-Full Teeth



AYA12 #4W-9.6mm-Skip Teeth



AOA12 #4FW-9.6mm-Full Teeth



FURZONE Global Co., Ltd. / Han Lien International Corp.

Tel : 886. 2. 2776. 9891

Fax : 886. 2. 2731. 1120

www.furzone.com.tw

E-mail : hanlien@hanlien.com.tw

Add : 13th Fl. No. 101, Jen Ai Rd., Sec. 4, Taipei, Taiwan, R.O.C.



B6A12-25mm
Skip Teeth



ANA12 #2F-16MM
Full Teeth



B3A12-19mm
Full Teeth



B5A12-25mm
Full Teeth

Furzone 9 Piece Clipper Blade Comb Attachments

63050-SARGE

- 9-comb set designed for professional groomers.
- Over-the-blade design for fast and secure fit.
- Beveled edges provide easy feed, and safety.
- Designed to fit Furzone SARGE clipper and A5 style detachable blades.
- Sturdy plastic storage case.
- Comb sizes : 1/8" - 3mm , 1/4" - 6mm, 3/8" - 10mm
1/2" - 13mm, 5/8" - 16mm, 3/4" - 19mm
7/8" - 22mm, 4" - 25mm, 1 1/4" - 32mm



1/8" 3mm



1/4" 6mm



3/8" 10mm



1/2" 13mm



5/8" 16mm



3/4" 19mm



7/8" 22mm



1" 25mm



1 1/4" 32mm

