



SNAP HOOK / STAINLESS STEEL




245SS	SNAP HOOKS, AISI 316			
SIZE(mm)	A	B	C	D
50 x 5	50	5	5.2	6
60 x 6	60	6	7.3	8.8
70 x 7	70	7	7.5	9.5
80 x 8	80	8	9.2	10.5
100 x 10	100	10	11	13.5
120 x 11	120	11	11.8	18.8
140 x 12	140	12	13.3	22
160 x 13	160	13	17.2	29.5




2450SS	SNAP HOOKS, AISI 316 with Eye			
SIZE(mm)	A	B	C	D
50 x 5	50	5	5	6
60 x 6	60	6	5	8.8
70 x 7	70	7	7	9.5
80 x 8	80	8	10	10.5
100 x 10	100	10	13	13.5
120 x 11	120	11	13	18.8




245SS-S	SNAP HOOKS, AISI 316 with Safety Screw				
SIZE(mm)	A	B	C	C1	D
80 x 8	80	8	12	9.2	9
100 x 10	100	10	15	11	12
120 x 11	120	11	15	11.8	17.2



2450SS-S	SNAP HOOKS, AISI 316 with Eye and Safety Screw			
SIZE(mm)	A	B	C	D
80 x 8	80	8	10	9
100 x 10	100	10	13	12
120 x 11	120	11	13	17.2



247SS	SNAP HOOKS, AISI 316			
SIZE(mm)	A	B	C	D
60 x 6	60	6	9	10
80 x 8	80	8	12	13
100 x 10	100	10	15	18
120 x 11	120	11	15	24




SNAP HOOK / STAINLESS STEEL & MILD STEEL



247ESS SNAP HOOKS, AISI 316 with Eye

SIZE(mm)	A	B	C	D
60 x 6	60	6	5	10
80 x 8	80	8	10	13
100 x 10	100	10	13	18
120 x 11	120	11	13	24




247ES-S Ditto, But w/Screw




2430SF SNAP HOOKS, AISI 316 L-type

SIZE(mm)	A	B	C	D
60 x 6	60	6	9	10
80 x 8	80	8	12	13
100 x 10	100	10	15	18
120 x 11	120	12	15	24



246M SNAP HOOKS, Zinc Plated


SIZE(mm)	A	B	C	D
50 x 5	50	5	5	6
60 x 6	60	6	6	8.8
70 x 7	70	7	7	9.5
80 x 8	80	8	8	10.5
100 x 10	100	10	10	13.5
120 x 11	120	11	11	18.8
140 x 12	140	12	12	22
160 x 13	160	13	13	29.5



246SS Ditto, But AISI 316

248SS OVAL SNAP HOOK, AISI 316

SIZE(mm)	A	B	C	D
100 x 10	100	10	37	26




248SS-S Ditto, But w/Screw




2480S OVAL SNAP HOOKS, Zinc Plated

SIZE(mm)	A	B	C	D
100 x 10	100	10	30	26



244SS OVAL SNAP HOOKS, AISI 316


SIZE(mm)	A	B	C	D
70 x 5	70	5	15	8
80 x 6	80	6	18.7	11.4
90 x 8	90	8	21	11.4
110 x 10	110	10	27	15.5




SNAP HOOK / MILD STEEL




245M SIZE(mm)	SNAP HOOKS, Zinc Plated				
	A	B	C	C1	D
50 x 5	50	5	5	5.2	6
60 x 6	60	6	6	7.3	8.8
70 x 7	70	7	7	7.5	9.5
80 x 8	80	8	8	9.2	10.5
100 x 10	100	10	10	11	13.5
120 x 11	120	11	11	11.8	18.8
140 x 12	140	12	12	13.3	22
160 x 13	160	13	13	17.2	29.5




2450M SIZE(mm)	SNAP HOOKS, Zinc Plated with Eye			
	A	B	C	D
50 x 5	50	5	5	6
60 x 6	60	6	5	8.8
70 x 7	70	7	7	9.5
80 x 8	80	8	10	10.5
100 x 10	100	10	13	13.5
120 x 11	120	11	13	18.8




245S SIZE(mm)	SNAP HOOKS, Zinc Plated with Safety Screw				
	A	B	C	C1	D
60 x 6	60	6	8.8	7.3	7.7
70 x 7	70	7	10	7.5	8.5
80 x 8	80	8	12	9.2	9
100 x 10	100	10	15	11	12
120 x 11	120	11	15	11.8	17.2
140 x 12	140	12	18	13.3	19.2
160 x 13	160	13	23	17.2	25



2300S SIZE(mm)	SNAP HOOK, Zinc Plated with Safety Screw			
	A	B	C	D
100 x 10	107	10	33	16



2301 SIZE(mm)	SNAP HOOK, Zinc Plated			
	A	B	C	D
107 x 10	107	10	33	22




SNAP HOOK / DROP FORGED STEEL




226 SNAP HOOKS, Zinc Plated Drop Forged

SIZE(mm)	A	B	C	D
60 x 6	60	6	9	8
70 x 7	70	7	10	8
80 x 8	80	8	12	10
100 x 10	100	10	15	13
120 x 11	120	11	18	16
140 x 12	140	12	20	20




226S SNAP HOOKS, Zinc Plated Drop Forged, with Safety Screw

SIZE(mm)	A	B	C	D
70 x 7	70	7	10	7
80 x 8	80	8	12	8
100 x 10	100	10	15	11
120 x 11	120	11	18	15



**228 SWIVEL SNAP, Drop Forged Steel
228S Ditto, But with Safety Screw**

SIZE(mm)	A	B	C	D
60	71	6	39	9




QUICK LINK / STAINLESS STEEL & STEEL




7350 QUICK LINKS, Steel Zinc Plated

SIZE(mm)	A	A1	B	C	D
3.5	36	29	3.5	10	5
4	39.5	32	4	11.5	5.5
5	48.5	38.5	5	13	6.5
6	57	45	6	14.5	7.5
7	67	52	7	16	8.5
8	74	58	8	17.5	10
9	80	62	9	19	11
10	91	71	10	20.5	12
12	104.5	80.5	12	22.5	15




7350SS QUICK LINKS, Stainless 304

SIZE(mm)	A	A1	B	C	D
3.5	36	29	3.5	10	5
4	40	32	4	11.5	5.4
5	48.5	38.5	5	13	6.5
6	57	45	6	14.5	7.5
7	67	53	7	16.5	8
8	74	58	8	17.5	10
9	83	65	9	19	10
10	91	71	10	20.5	12
11	104.5	80.5	11	22.5	15




7357SS QUICK LINKS, Stainless 304 Long Type

SIZE(mm)	A	A1	B	C	D
4	53	45	4	11.5	11.5
5	62	52	5	13	13
6	70.5	58.5	6	14.5	14.5
7	79	65	7	16	16
8	88	72	8	17.5	17.5




7357 QUICK LINKS, Steel Zinc Plated Long Type

SIZE(mm)	A	A1	B	C	D
4	53	45	4	11.5	11.5
5	62	52	5	13	13
6	70.5	58.5	6	14.5	14.5
7	79	65	7	16	16
8	88	72	8	17.5	17.5



657 DELTA LINKS, Steel Zinc Plated 657SS DELTA LINKS, Stainless 304

SIZE(mm)	A	A1	B	C	D
3.5	34	29	3.5	26	4.8
4	32	32	4	27.5	5.5
6	44	45	6	35	7.5
8	57	58	8	40	10
10	67	71	10	46	12
12	80	80.5	12	51	15



CARABINER / ALUMINUM ALLOY



A249NZ11110
A.7075 CARABINER
11 x 110 mm SCREW LOCK
B/S : 2600KG



A249FBX
A.7075 CARABINER
11 x 110 mm BENT GATE
B/S : 2400KG



A4902
A.7075 PARACHUTE CARABINER
STRAP SIZE : 40 mm (MAX)
O.L. : 84 mm DOUBLE LOCK
B/S : 18 KN



A800S
A.6061 FIGURE-8 RING
SMALL, EYE : 25 mm / 47 mm
B/S : 25KN



A800M
A.6061 FIGURE-8 RING
MIDDLE, EYE : 23.8 mm / 49 mm
B/S : 35KN



A800L
A.6061 FIGURE-8 RING
LARGE, EYE : 25.7 mm / 50.5 mm
B/S : 35KN



9313K-3
A.7075 CARABINER
O.L. : 116 mm
TRIPLE LOCK
B/S : 2600KGS



A249TWX
A.7075 CARABINER
12 x 123 mm
TWIST LOCK
B/S : 30KN



A249NBX11100
A.7075 CARABINER
11 x 100 mm
SCREW LOCK
B/S : 2400KG



A249BX11100
A.7075 CARABINER
11 x 100 mm
STRAIGHT GATE
B/S : 2400KG

CARABINER / ALUMINUM ALLOY



A5290FN
A.6061 CARABINER
ROPE EYE : 7/8"
O.L. : 135 mm SCREW LOCK
B/S : 2500KGS



A5290LP
A.6061 CARABINER
ROPE EYE : 7/8"
STRAP EYE : 30 mm
O.L. : 135 mm STRAIGHT LOCK
B/S : 2500KGS



A5290LPTW
A.6061 CARABINER
ROPE EYE : 7/8"
STRAP EYE : 30 mm
O.L. : 135 mm TWIST LOCK
B/S : 2500KGS



A238
A.6061 LARGE CARABINER
EYE : 21mm x
O.L. : 238 mm DOUBLE LOCK
B/S : 2500KGS



AS132-20
A.2014 DOUBLE LOCK CARABINER
EYE : 20mm
B/S : 30KN



A5290N
A.6061 CARABINER
ROPE EYE : 7/8"
O.L. : 135 mm SCREW LOCK
B/S : 2500KGS



A5290
A.6061 CARABINER
ROPE EYE : 7/8"
O.L. : 115 mm STRAIGHT LOCK
B/S : 2500KGS

CLIMBING RING / ALUMINUM ALLOY



ASLD-30
A.6061 ADJUSTER
SLOT : 33 mm, O.L. : 95mm
B/S : 2000KGS



ASLD-33
A.6061 ADJUSTER
SLOT : 30 mm, O.L. : 67.5mm
B/S : 2000KGS



A3250
A.6061 RING
STRAP SIZE : 46 mm
B/S : 18KN



ALSD-85
A.6061 SLOT D-RING
SLOT SIZE : 86 mm
B/S : 2000KGS



A550
A.6061 BENT TYPE SLOT D-RING
SLOT SIZE : 45 mm
B/S : 2000KGS



A3251
A.6061 SLOT D-RING
SLOT SIZE : 46 mm
B/S : 18KN



A7F-12028
A.6061 RING
DIA : 12mm x I.D. : 28mm
B/S : 2000KGS



A7F-12046
A.6061 RING
DIA : 12mm x I.D. : 46mm
B/S : 2000KGS



ALPFL-85
A.6061 LOOP
9mm x I.D. : 86.5 mm x I.H 28 mm
B/S : 1500KGS



ABK-2T
A.6061 LOOP WITH TWO TONGUES
9mm x I.D. : 86.5 mm x I.H 28 mm
TONGUE DIA : 7mm
B/S : 1500KGS



A804
A.6061 ADJUSTER
EYE : 11.2mm
STRAP EYE : 32mm (MAX)
O.L. : 85 mm, B/S : 2000KGS

CLIMBING BUCKLE & PULLEY / ALUMINUM ALLOY



S4900FL-06
SSTT304 KNURLED LOOP
 DIA.: 6.0 mm x I.D.: 47 mm
 WELDED



3181LB
SST304 MALE PART
 FOR A3181 RELEASE
 BUCKLE STRAP
 SIZE : 25 mm / 44 mm
 THICKNESS : 3 mm



A4921-BK
A.7075 RELEASE BUCKLE
 STRAP SIZE : 45 mm
 B/S : 900KG



A3181
RELEASE BUCKLE
 FEMELE : A.6061, MALE : SST304
 STRAP SIZE : 43 mm B/S : 1200KG



A3181FL-06
RELEASE BUCKLE
 FEMELE : A.6061, MALE : SST304
 WITH A SST SLIDE
 (DIA.: 6 mm x I.D.: 43.5 mm)
 STRAP SIZE : 43 mm B/S : 1200KG



ART-60
PULLEY
 HOUSING : A7075
 WHEEL : A.6061, ALEX : SST304
 ROPE SIZE : 17mm
 B/S : 15KN (ONE SIDE)



ART-40
PULLEY
 HOUSING : A7075
 WHEEL : A.6061, ALEX : SST304
 ROPE SIZE : 15mm
 B/S : 15KN (ONE SIDE)